

# PRINTER RUSH

**(PTO ASSISTANCE)**

(E-File)

Zerry Cook

**Application :** 09/187700

**Examiner :** Nguyen, M.

GAU: 2137

**From:** *[Signature]*

**Location:** IDC FMF FDC

**Date:** 3/31/2006

Tracking #: 123456789

Week Date:

<b>DOC CODE</b>	<b>DOC DATE</b>	<b>MISCELLANEOUS</b>
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input checked="" type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	8/21/2001	(NFDR 12/17/1998 - - NOA 7/29/2005 -)
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: Please advise if Replacement Drawing of Figure 12 dated 08-21-2001 satisfies the drawing requirements set forth by NFPA: dated 12-17-1998.

(Note: The 07-29-2005 NOT both accepts drawings and indicates that corrected drawings are required.)

*Thank you, NYC*

[XRUSH] RESPONSE: \_\_\_\_\_

**INITIALS:**

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04